



SAFETY DATA SHEET



SECTION I – PRODUCT AND COMPANY IDENTIFICATION

Product name: **IC7058**

Product Identifier: IC7058

Relevant identified uses: scale inhibitor.

BOLLAND Y CÍA. S.A.

J. D. Perón 925 6° piso, (C1038AAS) Ciudad Autónoma de Buenos Aires - Argentina.

T: +54 11 4320 7500

Emergency phone (24 hours): **BOLLAND PQB 0 800 222 1030 (from Argentina)**
+5411 4320 7500 (other countries)

SECTION II – HAZARDS IDENTIFICATION

Classification according to Globally Harmonized System.

Hazard pictogram(s):



Substances and mixtures corrosive to metals (Category 1)

Skin irritation (Category 2) – Serious eye damage (Category 1)

Short-term (acute) aquatic hazard (Category 3)

Signal word: **DANGER**

Hazard statements:

H290 - May be corrosive to metals.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H402 - Harmful to aquatic life.

Precautionary statements:

P234 - Keep only in original container.

P264 - Wash thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 - IF SKIN IRRITATION OCCURS: Get medical advice/attention.

P390 - Absorb spillage to prevent material damage.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents / container in accordance with national / international regulations.

Version:

2

Emission date:

April, 2018

Replace: 1

Created:

CIQUIME

Revised:

BOLLAND Y CÍA. S.A.

Additional information

None.

SECTION III - COMPOSITION / INFORMATION ON INGREDIENTS

CONFIDENTIAL COMMERCIAL INFORMATION
IF EMERGENCY, CALL BOLLAND PQB 0 800 222 1030 (desde Argentina)
+5411 4320 7500 (otros países)

SECTION IV – FIRST AID MEASURES

GENERAL ADVICE:	Avoid exposure to the product, taking appropriate protective measures. Get medical advice.
EYE CONTACT:	Immediately flush with water for at least 15 minutes, holding eyelids apart to ensure that all eye and lid tissues rinsed. Washing eyes within several seconds is essential to achieve maximum effectiveness. If you have contact lenses, remove them after the first 5 minutes, then continue rinsing eye. Get medical advice.
SKIN CONTACT:	Wash immediately after contact with water for at least 15 minutes. Remove contaminated clothing and wash before reuse.
INHALATION:	For those providing assistance, avoid exposure. Use proper protection if necessary. Move victim and get fresh air. Keep calm. If not breathing, give artificial respiration. Get medical advice.
INGESTION:	DO NOT INDUCE VOMITING. Give water to drink. Never give anything by mouth to an unconscious person. Get medical advice. If vomiting occurs spontaneously, place victim on side to reduce the risk of aspiration.
SYMPTOMS:	Inhalation: irritant of the respiratory tract. Skin contact: may cause irritation. Eye contact: may cause irritation and severe burns. Ingestion: contains ethylene glycol.
MEDICAL ADVICE:	Provide specific treatment for glycol containing substances. For more information, contact a Poison Control Center.

SECTION V – FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use dry chemical, alcohol-resistant foam, sand or CO ₂ . Some foams can react with the product. DO NOT USE straight streams.
FLASH POINT:	Not flammable.
FLAMMABLE LIMITS:	N/D
SPECIAL HAZARDS:	NOT FLAMMABLE. The liquid will not readily ignite, but can decompose and corrosive and/or toxic vapors. In case of fire may release irritating fumes and gases and/or toxic gases, such as carbon monoxide and other substances derived from incomplete combustion.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:	For large spills wear protective clothing against chemicals, which is specifically recommended by the manufacturer. It may provide little or no thermal protection.
--	---

ADVICE FOR FIREFIGHTERS:	Spray-water the packaging to avoid ignition or to keep them cool if exposed to excessive heat or fire. Move containers from fire area if you can do without risk. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the material.
--------------------------	---

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate personnel to a ventilated area. Use SCBA and skin and eye protection. Wear impervious gloves. Ventilate immediately, especially in low areas where vapours may accumulate. Do not allow reuse of spilled product.
--	---

ENVIRONMENTAL PRECAUTIONS:	Contain spilled liquid with a dam. Prevent entry into waterways, sewers, basements or confined areas.
----------------------------	---

CONTAINMENT AND CLEANING UP:	Collect the product through sand, vermiculite, or inert absorbent and completely clean or wash the contaminated area.
------------------------------	---

SECTION VII – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Do not eat, drink or smoke during handling. Avoid contact with eyes, skin and clothing. Wash arms, hands, and nails after handling. Facilitate access to safety showers and eyewash emergency. Avoid inhalation of the product. Use PPE. Keep container closed. Use with adequate ventilation. Handle containers carefully.
--------------------------------	--

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:	Store in a clean, dry, well-ventilated area. Keep away from strong oxidizing agents, acids and bases. Material appropriate packaging: Supplied by the manufacturer.
---	---

SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS:	TLV-C (ACGIH): 100 mg/m ³ , ethylene glycol 2 mg/m ³ , potassium hydroxide TLV-STEL (ACGIH): N/D PEL (OSHA 29 CFR 1910.1000): N/D IDLH (NIOSH): N/D
---------------------	---

EXPOSURE CONTROLS:	Keep workplace ventilated. The normal routine ventilation is usually adequate. Local hoods should be used for operations that produce or release large amounts of product. In low or confined areas should be provided mechanical ventilation. Provide showers and eyewash stations.
--------------------	---

PERSONAL PROTECTION EQUIPMENT, INHALATION:	Where necessary, use an organic vapours (A) respirator. Special attention to oxygen levels in the air should be paid. If large releases occur, wear self-contained breathing apparatus (SCBA).
--	---

SKIN PROTECTION:	When handling this product should wear impermeable protective PVC, nitrile or butyl gloves (complying with standards EN 374), clothes and safety footwear resistant to chemicals.
EYE AND FACE PROTECTION:	Should wear safety glasses, chemical splash-proof (complying with EN 166).

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Liquid.
COLOR:	N/D
ODOUR:	N/D
ODOUR THRESHOLD:	N/D
pH:	5,0 ± 0,5 - direct
MELTING POINT:	-12°C (10°F)
BOILING POINT:	N/D
FLASH POINT:	Not flammable.
EVAPORATION RATE:	N/D
AUTO-IGNITION TEMPERATURE:	N/D
EXPLOSIVE LIMITS:	N/D
VAPOUR PRESSURE (20°C):	N/D
VAPOUR DENSITY (AIR=1):	N/D
RELATIVE DENSITY (20°C):	1,19 ± 0,03 g/cm ³
SOLUBILITY (in water, 20°C):	Soluble in water.
HENRY CONSTANT (20°C):	N/D
PARTITION COEFFICIENT (logK _{o/w}):	N/D
VISCOSITY (cSt, 20°C):	< 100
EXPLOSIVE PROPERTIES:	Not explosive. According to column 2 of Annex VII of REACH, this study is not required because: in the molecule no chemical groups are associated with explosive properties.
OXIDIZING PROPERTIES:	According to column 2 of Annex XVII of REACH, this study is not necessary because: the substance, its chemical structure is incapable of reacting exothermically with combustible materials.
OTHER PROPERTIES:	Refractive index (20°C): 1,38 ± 0,01

SECTION X – STABILITY AND REACTIVITY

REACTIVITY:	It is not expected that product reactions or decomposition may occur under normal storage conditions. It does not contain organic peroxides. It is corrosive to metals. Does not react with water.
-------------	--

CHEMICAL STABILITY:	The product is chemically stable and does not require stabilizers. No hazardous polymerization is expected.
CONDITIONS TO AVOID:	Avoid high temperatures.
HAZARDOUS DECOMPOSITION PRODUCTS:	When heated, it may release toxic and irritating vapors. In case of fire, see section 5.
INCOMPATIBLE MATERIALS:	strong oxidizing agents, acids and bases.

SECTION XI – TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE:	Inhalation, skin and eye contact.
ACUTE EFFECTS:	Inhalation: irritant of the respiratory tract. Skin contact: may cause irritation. Eye contact: may cause irritation and severe burns. Ingestion: contains ethylene glycol.
CARCINOGENICITY AND MUTAGENICITY:	No information is available on any component of this product, which has levels greater than or equal to 0.1%, classified as a probable, possible or confirmed human carcinogen by the International Agency for Research on Carcinogens. Mutagenicity: No specific or relevant data available for evaluation. Teratogenicity: No specific or relevant data available for evaluation. Tox. Repr.: No specific or relevant data are available for evaluation.
ANIMAL TOXICITY VALUES:	ATE-LD50 oral (rat, OECD 401): > 2000 mg/kg ATE-LD50 der (rabbit, OECD 402): > 2000 mg/kg ATE-LC50 inh. (rat, 4hs., OECD 403): > 10 mg/l Skin irr. (rabbit, OECD 404): irritant Eye irr. (rabbit, OECD 405): serious eye damage Skin sens (Guinea pig, OECD 406): not sensitising Resp. sens (Guinea pig, OECD 403): not sensitizing STOT-SE: No specific or relevant data are available for evaluation. STOT-RE: No specific or relevant data are available for evaluation.

SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY:	ATE-EC50 (O. mykiss, OECD 203, 48 h): > 100 mg/l ATE-EC50 (D. magna, OECD 202, 48 h): > 100 mg/l ATE-EC50 (P. subcapitata, OECD 201, 48 h): > 100 mg/l ATE-EC50 (T. pyriformis, OECD 209, 48 h): 15,5 mg/l ATE-EC50 (D. rerio, OECD 204, 14 d): > 10 mg/l ATE-EC50 (D. magna, OECD 211, 14 d): > 10 mg/l
PERSISTENCE AND DEGRADABILITY:	BIODEGRADABILITY (-): The product is expected to be biodegradable. PNEC (water): N/D PNEC (sea water): N/D PNEC-STP: N/D
BIOACCUMULATIVE POTENTIAL:	Log Ko/w (OCDE 107 o 117): N/D BIOCONCENTRATION FACTOR - BCF (OCDE 305): N/D

MOBILITY IN SOIL:	HENRY CONSTANT (20°C): N/D LogKoc: N/D
OTHER ADVERSE EFFECTS:	Does not contain organic halogens nor metals.


SECTION XIII – DISPOSAL CONSIDERATIONS

Both the excess product and empty containers should be disposed of in accordance with current legislation on Environmental Protection and in particular Hazardous Waste Laws. You must classify the waste and dispose of it by an authorized company. Both the excess product and empty containers should be disposed of in accordance with current legislation regarding the Protection of Environment and particularly of hazardous waste. It should classify the waste and dispose of it by an authorized company.


Empty containers may contain residue and thus be dangerous. Do not attempt to refill or clean containers without possessing the appropriate instructions.

SECTION XIV – TRANSPORT INFORMATION


TRANSPORT BY LAND

Proper Shipping Name:	CORROSIVE LIQUID, N.O.S. (contains DTPMP)	
UN/ID Number:	1760	
Hazard class:	8	
Packing group:	III	
Hazard identification number:	80	
Excepted and limited quantity:	5L / E1	

AIR TRANSPORT (ICAO/IATA)

Proper Shipping Name:	CORROSIVE LIQUID, N.O.S. (contains DTPMP)	
UN/ID Number:	1760	
Hazard class:	8	
Packing group:	III	
PAX and Cargo Packing instructions:	Y841, 1L / 852, 5L	
Cargo Packing instructions:	856, 60L	
ERC:	8L	

SEA TRANSPORT (IMO)

Proper Shipping Name:	CORROSIVE LIQUID, N.O.S. (contains DTPMP)	
UN/ID N°:	1760	
Hazard class:	8	
Packing group:	III	
EMS:	F-A; S-B	
Marine pollutant:	NO	
Proper Shipping Name:	UN1760; CORROSIVE LIQUID, N.O.S. (contains DTPMP); 8; PG III	

SECTION XV – REGULATORY INFORMATION

Regulations and safety legislation specific for the substance or mixture:

Not dangerous for the ozone layer (1005/2009/CE).

Volatile organic compounds (VOC's) (1999/13/EC): N/D

Globally Harmonized System of Classification and Labelling of Chemicals, fifth revised edition, 2013 (GHS 2013 - 'ST / SG / AC 10/30 / Rev.5'). The fifth edition is taken into consideration because it is the one valid for Argentina according to Resolution 801/2015 of the SRT. In any case, the information is contrasted with Revision 6 ('ST / SG / AC 10/30 / Rev.6') and clarification is made if required.

Agreement on Transport of Dangerous Products within the MERCOSUR, MERCOSUR\CMC\DEC N° 2/94.

European Agreement on the International Carriage of Dangerous Goods by Road (ADR 2017) and amendments.

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID 2017) and amendments.

International Maritime Dangerous Goods Code (IMDG 2016 - Amendment 38-16), International Maritime Organization (IMO).

IBC Code 2016, IMO, IMO Resolution MSC.369 (93).

Regulations of the International Air Transport Association (IATA 58 ed., 2017) on the transport of dangerous goods by air.

SECTION XVI – OTHER INFORMATION

N/A: not applicable.

N/D: no data available.

CAS: Chemical Abstracts Service

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists.

TLV: Threshold Limit Value

TWA: Time Weighted Average

STEL: Short Term Exposure

REL: Recommended Exposure Limit.

PEL: Permissible Exposure Limit.

INSHT: National Institute for Safety and Health at Work.

ATE: Acute toxicity estimate.

LD50: Lethal Dose.

LC50: Lethal Concentration.

EC50: Average Effective Concentration.

IC50: Inhibitory Concentration Medium.

|: Changes from the previous revision.

Key literature references and sources for data

International Agency for Research on Cancer (IARC), carcinogen classification.

European Regulation 1272/2008, Classification, labeling and packing (CLP)

European Agreement on the International Carriage of Dangerous Goods by Road (ADR 2017) and amendments.

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID 2017) and amendments.

International Maritime Dangerous Goods Code (IMDG 2016 - Amendment 38-16), International Maritime Organization (IMO).

IBC Code 2016, IMO, Resolution MSC.369 (93).

Regulations of the International Air Transport Association (IATA 58 ed., 2017) concerning the transport of dangerous goods by air.

The classification was performed based on chemical analogues and product information.

SECTION 2: classification by analogy with other products, and based on product data.

SECTION 9: product data.

SECTION 11 and 12: analogy with other products.

Acute toxicity: calculation method for estimating acute toxicity.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
TARGET ORGANS	1



Obligatory safety
goggles.



Obligatory gloves.



Obligatory overall.

The information and recommendations given here are to our knowledge correct, and is the responsibility of each user to determine whether they are accurate, appropriate and complete for its particular use. The conditions and / or methods of handling, storage, use and disposal of the product are beyond our control and perhaps of our knowledge. For these and other reasons our company is not liable for loss, damage or caused or related to the handling, storage, use or disposal of this product costs. Our company is not responsible for any damage or incident, direct or indirect, of any nature that may result from the use of this information. Any information not contained in this SDS must be understood as undetermined or unknown.

Version: 2
Replaces: 1
Created: CIQUIME

Emmision date: April, 2018
Revised: BOLLAND Y CÍA. S.A.