

SAFETY DATA SHEET

SECTION I – PRODUCT AND COMPANY IDENTIFICATION

Product name: SB82

Product Identifier: SB82

Relevant identified uses: Solvent.

BOLLAND Y CÍA. S.A.U.

J. D. Perón 925 6° piso, (C1038AAS) Ciudad Autónoma de Buenos Aires - Argentina.

T: +54 11 4320 7500

Emergency phone (24 hours): 0 800 222 1030 (from Argentina)

+5411 4320 7500 (other countries)

SECTION II – HAZARDS IDENTIFICATION

Classification according to Globally Harmonized System.

Hazard pictogram(s):



Flammable liquids (Category 4)

Acute toxicity, oral (Category 4)

Acute toxicity, inhalation (Category 4)

Acute toxicity, dermal (Category 4)

Skin irritation (Category 2) – Eye irritation (Category 2A)

Signal word: WARNING

Hazard statements:

H227 - Combustible liquid.

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing mist, vapours and spray.

P301 + P312 + P330 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or a doctor if you feel unwell.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 - IF SKIN IRRITATION OCCURS: Get medical advice or attention.

P337 + P313 - IF EYE IRRITATION PERSISTS: Get medical advice or attention.

P370 + P378 - IN CASE OF FIRE: Use water spray, foam, dry chemical or carbon dioxide to extinguish.

P403 + P235 - Store in a well-ventilated place. Keep cool.

Version: 2 Emission date: February, 2020

Replace: 1

Created: CIQUIME Revised: BOLLAND Y CÍA. S.A.U.

Additional information

None.

SB82

SECTION III - COMPOSITION / INFORMATION ON INGREDIENTS		
HAZARDOUS INGREDIENTS	% WEIGHT	CLASSIFICATION
Ethylene glycol monobutyl ether	100	Flam. Liquid 4; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A

	SECTION IV – FIRST AID MEASURES
GENERAL ADVICE:	Avoid exposure to the product, taking appropriate protective measures. Get medical advice.
EYE CONTACT:	Immediately flush with water for at least 15 minutes, holding eyelids apart to ensure that all eye and lid tissues rinsed. Washing eyes within several seconds is essential to achieve maximum effectiveness. If you have contact lenses, remove them after the first 5 minutes, then continue rinsing eye. Get medical advice.
SKIN CONTACT:	Wash immediately after contact with water for at least 15 minutes. Remove contaminated clothing and wash before reuse.
INHALATION:	For those providing assistance, avoid exposure. Use proper protection if necessary. Move victim and get fresh air. Keep calm. If not breathing, give artificial respiration. Get medical advice.
INGESTION:	DO NOT INDUCE VOMITING. Give water to drink. Never give anything by mouth to an unconscious person. Get medical advice. If vomiting occurs spontaneously, place victim on side to reduce the risk of aspiration.
SYMPTOMS:	Inhalation: may cause respiratory tract irritation. Skin contact: may cause mild skin irritation. Eye contact: may cause eye irritation. Ingestion: Harmful if swallowed. May cause gastrointestinal upset.
MEDICAL ADVICE:	Provide specific treatment for glycol containing substances. For more information, contact a Poison Control Center.
	SECTION V – FIREFIGHTING MEASURES
EXTINGUISHING MEDIA:	Use dry chemical, foam, sand or CO₂. DO NOT USE water jets.
FLASH POINT:	67°C (153°F)
FLAMMABLE LIMITS:	N/D
SPECIAL HAZARDS:	NOT FLAMMABLE. The liquid will not ignite easily, but it can decompose and generate corrosive and/or toxic vapors. In case of fire may release irritating and/or toxic fumes and gases, such as carbon monoxide and other substances derived from incomplete combustion.
SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:	For large spills wear protective clothing against chemicals, which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

	Spray the packaging with water to avoid ignition or to keep them cool if exposed to excessive heat or fire.
ADVICE FOR FIREFIGHTERS:	Remove the packages if they have not yet been reached by the flames, and
	you can do so without risk.
	Cool containers with water until the fire is extinguished.

Contain fire water for later disposal. Do not disperse the material.

SECTION VI – ACCIDENTAL RELEASE MEASURES		
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:	Eliminate all ignition sources (no smoking, do not use flares, sparks or flames in immediate area). Evacuate personnel to a ventilated area. Ventilate immediately, especially where product may accumulate. Do not allow reuse of spilled product.	
ENVIRONMENTAL PRECAUTIONS:	Contain spilled liquid with a dam or barrier. Prevent entry into navigable waterways, sewers, basements or uncontrolled confined areas.	
CONTAINMENT AND CLEANING UP:	Contain and recover the liquid when possible. Collect the liquid product with sand, vermiculite, earth or inert absorbent material and then completely clean the affected area. Dispose of the waste properly.	

SECTION VII – HANDLING AND STORAGE

Do not eat, drink or smoke during handling. Avoid contact with eyes, skin and clothing. Wash after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store in a clean, dry, well-ventilated area. Protect from sunlight. Keep containers/packages closed.

Keep away from Oxidizing and non-oxidizing mineral acids, organic acids, azo and diazo compounds, isocyanates, nitrides, peroxides and organic hydroperoxides, epoxides, strong oxidizing agents and strong reducing agents.

Material appropriate packaging: Supplied by the manufacturer.

SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION	
CONTROL PARAMETERS:	REL-TWA: 50 ppm TLV-TWA (ACGIH): 20 ppm TLV-STEL (ACGIH): N/D PEL (OSHA): 50 ppm IDLH (NIOSH): 700 ppm
EXPOSURE CONTROLS:	Keep workplace ventilated. The normal routine ventilation is usually adequate. Use local hoods for operations that produce or release large amounts of product. In low or confined areas provide mechanical ventilation. Provide showers and eyewash stations near workplace.
PERSONAL PROTECTION EQUIPMENT, INHALATION:	When necessary, wear an organic gas or steam (A) respirator. Pay special attention to oxygen levels in the air. If large releases occur, wear self-contained breathing apparatus (SCBA).
SKIN PROTECTION:	When necessary, wear impermeable protective PVC, nitrile or butyl gloves (complying with standards EN 374), clothes and safety footwear resistant to chemicals.
EYE AND FACE PROTECTION:	When necessary, wear chemical splash-proof safety glasses (complying with EN 166).

SECTI	ON IX – PHYSICAL AND CHEMICAL PROPERTIES
APPEARANCE:	Liquid.
COLOR:	Colourless.
ODOUR:	N/D
ODOUR THRESHOLD:	N/D
pH:	N/D
MELTING POINT:	< -20°C (-4°F)
BOILING POINT:	N/D
FLASH POINT:	67°C (153°F)
EVAPORATION RATE:	N/D
AUTO-IGNITION TEMPERATURE:	: N/D
EXPLOSIVE LIMITS:	N/D
VAPOUR PRESSURE (20°C):	N/D
VAPOUR DENSITY (AIR=1):	N/D
RELATIVE DENSITY (20°C):	0,9 ± 0,03 g/cm³
SOLUBILITY (20°C):	N/D
HENRY CONSTANT (20°C):	N/D
PARTITION COEFF. (logKo/w):	N/D
VISCOSITY (20°C):	N/D
EXPLOSIVE PROPERTIES:	Not explosive. According to column 2 of Annex VII of REACH, this study is not required because: in the molecule no chemical groups are associated with explosive properties.
OXIDIZING PROPERTIES:	According to column 2 of Annex XVII of REACH, this study is not necessary because: the substances present in the product, due to their chemical structures, are incapable of reacting exothermically with combustible materials.
OTHER PROPERTIES:	Refractive index: 1,418 ± 0,010
	SECTION X – STABILITY AND REACTIVITY
REACTIVITY:	It is not expected that product reactions or decomposition may occur under normal storage conditions. It does not contain organic peroxides. It is not corrosive to metals. Does not react with water.
CHEMICAL STABILITY:	The product is chemically stable and does not require stabilizers.
HAZARDOUS REACTIONS:	No hazardous polymerization is expected.
CONDITIONS TO AVOID:	Avoid elevated temperatures.
HAZARDOUS DECOMPOSITION PRODUCTS:	When heated, it may release toxic and irritating vapors. In case of fire, see section 5.

SB82 SAFETY DATA SHEET VERSION: 2
PAGE 5 OF 8

INCOMPATIBLE MATERIALS:

Oxidizing and non-oxidizing mineral acids, organic acids, azo and diazo compounds, isocyanates, nitrides, peroxides and organic hydroperoxides, epoxides, strong oxidizing agents and strong reducing agents.

SECTION XI – TOXICOLOGICAL INFORMATION	
ROUTES OF EXPOSURE:	Inhalation, skin and eye contact.
ACUTE EFFECTS:	Inhalation: may cause respiratory tract irritation. Skin contact: may cause mild skin irritation. Eye contact: may cause eye irritation. Ingestion: Harmful if swallowed. May cause gastrointestinal upset.

CARCINOGENICITY, MUTAGENICITY AND REPRODUCTION TOXICITY:

Carcinogenicity: No information is available on any component of this product, present at levels greater than or equal to 0.1%, that is classified as probable, possible or confirmed human carcinogen by IARC (International Agency for Research on Cancer).

Mutagenicity: There are no components of this product, present at a concentration greater than or equal to 0.1%, that classify as mutagens according to the GHS.

Tox. Repr .: There are no components of this product, present at a concentration greater than or equal to 0.1%, that classify as hazardous for reproduction according to the GHS.

Teratogenicity: There are no components of this product, present at a concentration greater than or equal to 0.1%, that classify as a teratogen.

STOT-SE: There are no components of this product, present at a concentration greater than or equal to 1%, that they classify as toxic to target organs according to the GHS.

STOT-RE: There are no components of this product, present at a concentration greater than or equal to 1%, that they classify as toxic to target organs according to the GHS.

Aspiration: There are no components of this product, present at a concentration greater than or equal to 10%, that classify as toxic by aspiration according to the GHS.

ANIMAL TOXICITY VALUES:

There is no information about the toxicity of the product, but acute toxicity estimations are presented.

LD50 oral (rat, OECD 401): 1480 mg/kg LD50 oral (mouse, OECD 401): 1230 mg/kg LD50 oral (guinea pig, OECD 401): 1414 mg/kg LD50 der (rat, OECD 402): > 2000 mg/kg

DL50 der (rat, OECD 402): > 2000 mg/kg

DL50 der (conejo, OECD 402, oclusivo): 841 mg/kg

DL50 der (conejo, OECD 402, semioclusivo): > 2000 mg/kg

LC50 inh. (rat, male, 4 hs., OECD 403): > 2,56 mg/l

Skin irr. (rabbit, estim.): irritant Eye irr. (rabbit, estim.): irritant

Skin sens (Guinea pig, estim.): not sensitising Resp. sens (Guinea pig, estim.): not sensitizing

SECTION XII – ECOLOGICAL INFORMATION There is no information about the ecotoxicity of the product, but acute toxicity estimations are presented. LC50 (O. mykiss, OECD 203, 96 h): > 1000 mg/l EC50 (D. magna, OECD 202, 48 h): > 1800 mg/l EC50 (P. subcapitata, OECD 201, 72 h): > 1000 mg/l NOEC (fish, OECD 204, 14 d): > 100 mg/l CE10 (D. magna, OECD 211, 21 d): 134 mg/l

PERSISTENCE AND DEGRADABILITY:	BIODEGRADABILITY (OECD 301E; OECD 302B; BOD 5; BOD 10; BOD 20): The product is readily biodegradable. PNEC (water): 8,8 mg/L PNEC (sea water): 0,88 mg/L PNEC-STP: 463 mg/L
BIOACCUMULATIVE POTENTIAL:	Log Ko/w (OCDE 107 o 117): N/D BIOCONCENTRATION FACTOR - BCF (OCDE 305): N/D. There are no data that indicate that the product has bioaccumulation problems in living organisms or of incidence in the food chain.
MOBILITY IN SOIL:	HENRY CONSTANT (20°C): N/D LogKoc: N/D
OTHER ADVERSE EFFECTS:	Does not contain organic halogens nor metals.

SECTION XIII – DISPOSAL CONSIDERATIONS

Both the excess product and empty containers should be disposed of in accordance with current legislation regarding the Protection of Environment and particularly of hazardous waste. Waste should be classified and disposed by an authorized company.

Empty containers may contain residue and thus be dangerous. Do not attempt to refill or clean containers without appropriate instructions.

SECTION XIV	- TRANSPORT INFORMATION
TRANSPORT BY LAND	
Proper Shipping Name:	NOT CLASSIFIED AS A DANGEROUS GOODS
UN/ID Number:	NOT CLASSIFIED AS A DANGEROUS GOODS
Hazard class:	NOT CLASSIFIED AS A DANGEROUS GOODS
Packing group:	NOT CLASSIFIED AS A DANGEROUS GOODS
Hazard identification number:	NOT CLASSIFIED AS A DANGEROUS GOODS
Excepted and limited quantity:	NOT CLASSIFIED AS A DANGEROUS GOODS
Special provisions:	NOT CLASSIFIED AS A DANGEROUS GOODS
AIR TRANSPORT (ICAO/IATA)	
Proper Shipping Name:	NOT CLASSIFIED AS A DANGEROUS GOODS
UN/ID Number:	NOT CLASSIFIED AS A DANGEROUS GOODS
Hazard class:	NOT CLASSIFIED AS A DANGEROUS GOODS
Packing group:	NOT CLASSIFIED AS A DANGEROUS GOODS
PAX and Cargo Packing instructions:	NOT CLASSIFIED AS A DANGEROUS GOODS
Cargo Packing instructions:	NOT CLASSIFIED AS A DANGEROUS GOODS
ERC:	NOT CLASSIFIED AS A DANGEROUS GOODS
Special provisions:	NOT CLASSIFIED AS A DANGEROUS GOODS
SEA TRANSPORT (IMO)	
Proper Shipping Name:	NOT CLASSIFIED AS A DANGEROUS GOODS
UN/ID N°:	NOT CLASSIFIED AS A DANGEROUS GOODS
Hazard class:	NOT CLASSIFIED AS A DANGEROUS GOODS
Packing group:	NOT CLASSIFIED AS A DANGEROUS GOODS

EMS:	NOT CLASSIFIED AS A DANGEROUS GOODS
Stowage and manipulation:	NOT CLASSIFIED AS A DANGEROUS GOODS
Segregation:	NOT CLASSIFIED AS A DANGEROUS GOODS
Marine pollutant:	NO

Proper Shipping Name: NOT CLASSIFIED AS A DANGEROUS GOODS

SECTION XV – REGULATORY INFORMATION

Regulations and safety legislation specific for the substance or mixture:

Not dangerous for the ozone layer.

Volatile organic compounds (VOC's): N/D

Globally Harmonized System of Classification and Labelling of Chemicals, fifth revised edition, 2013 (GHS 2013 - 'ST / SG / AC 10/30 / Rev.5'). The fifth edition is taken into consideration because it is the one valid for Argentina according to Resolution 801/2015 of the SRT. In any case, the information is contrasted with Revision 7 ('ST / SG / AC 10/30 / Rev.7') and clarification is made if required.

Agreement on Transport of Dangerous Products within the MERCOSUR, MERCOSUR\CMC\DEC N° 2/94.

European Agreement on the International Carriage of Dangerous Goods by Road (ADR 2019) and amendments.

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID 2019) and amendments. International Maritime Dangerous Goods Code (IMDG 2018 - Amendment 39-18), International Maritime Organization (IMO).

IBC Code 2016, IMO, IMO Resolution MSC.369 (93).

Regulations of the International Air Transport Association (IATA 60 ed., 2019) on the transport of dangerous goods by air.

SECTION XVI – OTHER INFORMATION

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute toxicity estimate. CAS: Chemical Abstracts Service.

CNAD, manyimayan ang ang matunation allayyand

CMP: maximum concentration allowed.

CMP-C: maximum concentration allowed, ceiling

concentration.

CMP-CPT: maximum concentration allowed, short

time period.

EC: effect concentration.

EC50: Average Effective Concentration. EMS: Emergency management sheet.

ERC: Emergency response card.

GHS: Globally Harmonized System of Classifica-

tion and Labelling of Chemicals.

IARC: International Agency for Research on Can-

cer.

IATA: International Air Transport Association. ICAO: International Civil Aviation Organization. IDLH: Immediately dangerous to life or health IMDG: International Maritime Dangerous Goods.

IMO: International Maritime Organization.

LC: Lethal concentration.

LD: Lethal dose.

Log Ko/w: octanol-water partition coefficient. Log Koc: organic carbon to water partition coefficient.

MTESS: Ministry of Labor, Employment and Social

Security, Argentina. N/A: not applicable. N/D: no data available.

NFPA: National Fire Protection Association.

NIOSH: National Institute for Occupational Safety

and Health

NOEC: No observed effect concentration.

OECD: Organisation for Economic Co-operation

and Development.

OSHA: Occupational Safety and Health Admin-

istration.

PAX: Passengers.

PBT: persistent, bioaccumulative or toxic criteria.

PEL: Permissible Exposure Limit.
PMCC: Pensky Martens closed cup
PNEC: Predicted No Effect Concentration
PNEC-STP: Predicted No Effect Concentration —

sewage treatment plant.

PPE: Personal protection equipment.

REACH: Registration, Evaluation, Authorisation
and Restriction of Chemicals - Europa.

REL: Recommended Exposure Limit.

STEL: Short Term Exposure.
TLV: Threshold Limit Value.
UN: United Nations.

SRT: Superintendence of Labor Risks, Argentina. vPvB: very persistent or very bioaccumulative.

Key literature references and sources for data

International Agency for Research on Cancer (IARC), carcinogen classification.

European Regulation 1272/2008, Classification, labelling and packing (CLP)

European Agreement on the International Carriage of Dangerous Goods by Road (ADR 2019) and amendments.

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID 2019) and amendments. International Maritime Dangerous Goods Code (IMDG 2018 - Amendment 39-18), International Maritime Organization (IMO).

IBC Code 2016, IMO, IMO Resolution MSC.369 (93).

Regulations of the International Air Transport Association (IATA 60 ed., 2019) on the transport of dangerous goods by air.

The classification was performed based on chemical analogues and product information compiled by CIQUIME.

SECTION 2: classification by analogy with other products, and based on product data.

SECTION 9: product data.

SECTION 11 and 12: analogy with other products.

Acute toxicity: calculation method for estimating acute toxicity.









Obligatory safety googles.

Obligatory gloves.

Obligatory overall.

The information in this document refers to the product, and not to another product or process that involves it. This document provides health and safety information. The information is correct and complete according to our knowledge. It is provided in good faith, but without guarantee. Use the product according to the recommendations for use. If you use this product you should be informed of the recommended safety precautions and should have access to this information. For any other use, evaluate exposure and implement appropriate handling measures and training programs to ensure safe operations in the work-place.

It remains your responsibility that this information is appropriate and complete for the use of the product.

Version: 2 **Emmision date:** February, 2020

Replaces: 1

Created: CIQUIME **Revised:** BOLLAND Y CÍA. S.A.U.